



Biosecurity alert: Sulphur-crested cockatoo

Sulphur-crested cockatoo

What to look for and how to report

Sulphur-crested cockatoos are declared pests under the *Biosecurity and Agriculture Management Act 2007* in **Western Australia's south-west region**, and should be reported if seen.



REPORT

Sulphur-crested cockatoos



DO NOT report Corellas

They are widespread
and abundant

Status in Western Australia

They are not native to the south-west, but have been introduced as a result of pet birds escaping captivity.

They compete with native bird species, and cause damage to cereal, oilseed and legume crops, fruit and vegetable crops, and timber. They also eat stock feed, stored grain and hay.

This species can only be kept under permit, and only family pets can be imported.



What to look for

- Long, sulphur-yellow crest that is forward curving.
- Large white birds, slightly larger than white corellas and galahs.
- 40 cm – 51 cm long.

Behaviour

- Noisy and conspicuous birds with loud screeching calls.
- Found in pairs or family groups during the breeding season, and at other times in flocks of other birds.
- When flocks are feeding on the ground, sentinel birds keep watch and will rise into the air and screech loudly if sensing danger.



REPORT suspected sightings

- Be aware of any new or unusual birds
- Note the date, time and location of the bird
- Take photographs, if possible



Report your observations

MyPestGuide® Reporter
via app or online
mypestguide.dpird.wa.gov.au

Pest and Disease Information Service
08 9368 3080
padis@dpird.wa.gov.au

Important disclaimer

The Chief Executive Officer of the Department of Primary Industries and Regional Development and the State of Western Australia accept no liability whatsoever by reason of negligence or otherwise arising from the use or release of this information or any part of it.

Copyright © State of Western Australia (Department of Primary Industries and Regional Development), 2025

